

Cinnamon Extract with CinSulin®



INGREDIENTS

Cinnamon is a spice produced from the bark of numerous trees from the genus *Cinnamomum*. *Cinnamomum cassia* has been used as a spice in culinary cuisine and as a traditional herbal medicine for centuries.¹ The highly refined sugar and high fat content of US diets and other westernized countries make it difficult to maintain healthy blood sugar levels. For most of the world population, managing blood sugar level is not feasible and alternative options have been evaluated. The recommended use of plant and herb products like cinnamon, in maintaining healthy blood sugar levels, dates back to thousands of years ago, in Ayurvedic and Chinese medicines.^{2,3,4}

The medicinal herbs of the genus *Cinnamomum*, *C. zeylanicum* (known as Ceylon cinnamon) and *C. cassia* (known as Chinese cinnamon), have been frequently used for managing blood sugar levels.⁵ Cinnamon has been extensively studied in relation to its effects on maintaining healthy blood sugar levels and its pharmacological activities on lipids.^{6,7,8} Cinnamon is also known to have antioxidant properties and positive outcomes on cardiovascular health.^{*9,10,11,12,13} Several species of cinnamon (Ceylon and Chinese) are classified as GRAS (generally regarded as safe).¹⁴

CinSulin® uses a patented water extraction process to gently separate the unwanted compounds from the beneficial compounds that naturally occur in the cinnamon plant. The beneficial compounds (Type A polymers) are concentrated to 10:1 strength when compared to other cinnamons. As a result only 2 capsules containing 250mg (500mg) CinSulin®, is needed to maintain healthy blood sugar levels* whereas whole cinnamon powders require 10 capsules containing 500mg to achieved the same beneficial effects.

CinSulin®, a safe and effective dietary supplement, is the only patented water extract of *Cinnamomum cassia* clinically studied to help maintain healthy blood sugar levels within the normal range.*

BENEFITS

- CinSulin® helps maintain healthy blood sugar levels within the normal range*
- CinSulin® helps support cardiovascular health*

Cinnamon Extract 60vc

Supplement Facts

Serving Size 2 veggie capsules
Servings per container 30 servings

	Amount per serving	% Daily Value
Cinnamon bark extract (as CinSulin®)	500 mg	†

† Daily Value not established.

Other Ingredients: Modified cellulose (vegetarian capsule), microcrystalline cellulose, silicon dioxide, magnesium stearate (vegetable source).

Suggested Adult Use: Take 2 capsules daily with food, or as recommended by a nutritionally-informed physician.

Non-GMO / Gluten Free / Soy Free / Vegan
Store in a cool dry place.

Cinnamon Extract 120vc

Supplement Facts

Serving Size 2 veggie capsules
Servings per container 60 servings

	Amount per serving	% Daily Value
Cinnamon bark extract (as CinSulin®)	500 mg	†

† Daily Value not established.

Other Ingredients: Modified cellulose (vegetarian capsule), microcrystalline cellulose, silicon dioxide, magnesium stearate (vegetable source).

Suggested Adult Use: Take 2 capsules daily with food, or as recommended by a nutritionally-informed physician.

Non-GMO / Gluten Free / Soy Free / Vegan
Store in a cool dry place.

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

- CinSulin® is a potent antioxidant that protects cells from free radicals*
- CinSulin® is a water extract, free from fat soluble harsh impurities found in solvent extracted cinnamons*
- Non-GMO, Soy Free, Gluten Free, Vegan

EXTENDED BENEFITS

CinSulin® helps maintain healthy blood sugar levels within the normal range*

In the past decades, many in vitro and animal in vivo studies demonstrated that cinnamon may act as an insulin mimetic agent with the potential activity of stimulating cellular glucose metabolism.^{2,15,16,17,18} Several human clinical trials have also shown the positive effects of cinnamon on blood sugar levels and Hemoglobin A1c (HbA1c). Glycated hemoglobin (HbA1c) is a measure of long term (3 months) exposure to high blood sugar levels in people and insulin sensitivity.^{10,19,20,21,22,23} Cinnamon has been shown to effectively lower HbA1c.¹⁹ Many animal studies and human trials have supported the growing evidence that cinnamon and in particular polyphenols from cinnamon extracts could play a beneficial role in maintaining healthy blood sugar levels and increasing insulin sensitivity.^{24,25,26,27,28}

A randomized, double-blinded clinical trial was conducted to analyze the effect of cinnamon on fasting blood sugar, glycosylated hemoglobin A1c (HbA1c) and oxidative state in 25 subjects. In group A, 12 subjects, under dietary control and medical treatment, were given placebo capsule twice daily for 12 weeks. In group B, 13 subjects under the same conditions, received cinnamon capsule 500 mg twice a day. The results showed that subjects in group B had a significant reduction of fasting blood glucose level after 6- and 12-week trial. There was also a reduction of HbA1c, as well as, an improvement in the oxidative stress markers. These results led to the conclusion that cinnamon helps maintain healthy blood sugar levels within the normal range.²⁹

A placebo-controlled double-blind study tested the effects of a dried water extract of *Cinnamomum cassia* on circulating glucose, lipids, insulin, and insulin resistance among 137 participants. These participants were randomly assigned to receive either CinSulin®, 250 mg/capsule twice a day, or placebo, for two months. Results from this study demonstrated that supplementation with 500 mg CinSulin® daily enhanced insulin sensitivity, improve total cholesterol and LDL-cholesterol, and reduced fasting glucose compared to placebo. It was suggested that cinnamon may improve cardiovascular health and help maintain a healthy blood sugar level within the normal range.³⁰

CinSulin® may help improve cardiovascular health*

A healthy diet pattern is a cornerstone for maintaining a healthy cardiovascular system. Strong scientific evidence has demonstrated many health benefits from functional foods that include herbs and spices.^{31,32} Cinnamon, the number one spice and functional food used in the world, has been the focus of many scientific works to show its role in improving cardiovascular health while maintaining blood sugar levels within the normal range.^{33,34,35,36}

CinSulin® is a potent antioxidant that protects cells from free radicals*

Oxidative stress is the loss of the normal balance between pro-oxidants and anti-oxidants and represents an important mechanism in the complication from high blood sugar levels and cardiovascular problems.^{37,38,39} Many scientific studies have demonstrated that cinnamon displays strong antioxidant activity preventing and/or stopping cell damage caused by oxidative damage from free radicals.^{40,41} The main components in cinnamon extracts that function as antioxidants are water-soluble polyphenols that have a beneficial role in blood sugar tolerance.^{3,42,43,44}

PHARMACOLOGICAL & CLINICAL STUDIES

To evaluate the effects of cinnamon on cardiovascular health, an experiment

were conducted using spontaneously hypertensive rats. Treated rats were given various amounts of cinnamon. Results showed that rats treated with cinnamon, had decreased blood pressure and lower insulin concentration.^{*24} Similar results were obtained in another experimental animal study that evaluated the effect of cinnamon in albino rats. The results from this latest experiment showed the positive effects of cinnamon on improving blood sugar levels and lipid plasma levels.⁴⁵



To study the lipid lowering effect of *Cinnamomum cassia* on experimentally induced hypercholesterolemic rats, a complex designed study was conducted in 30 male rats. Results showed that rats treated with cinnamon had lower serum levels of fat (plasma levels of cholesterol, triglycerides, and LDL-C were lowered than in placebo group) indicating the potential positive effect of cinnamon on improving cardiovascular functions.³³

A study was designed to determine whether cinnamon improves blood glucose, triglyceride, total cholesterol, HDL cholesterol, and LDL cholesterol levels in humans. A total of 60 participants were randomized to either received 1g, 2g, or 3g of cinnamon daily or placebo daily for 40 days. Results from this study showed positive effects of cinnamon intake (1g, 3g, and 6g) compared to placebo suggesting the inclusion of cinnamon in the diet of people to help them maintain healthy blood sugar levels and cardiovascular health.⁴⁶

A randomized clinical trial discovered that cinnamon supplement intake enhanced blood sugar control and moderately supported blood pressure levels that were already within the normal range. The study involved 22 participants who were supplemented with either a cinnamon extract (500 mg of water-soluble cinnamon extract) or placebo daily for twelve weeks. In addition to helping maintain healthy blood sugar and blood pressure levels, the group consuming a cinnamon extract also exhibited decreased overall body fat.* The data from this study suggested that naturally-occurring spice cinnamon may improve cardiovascular health and keep maintain healthy blood sugar level.⁴⁷

To show the positive effect of cinnamon on blood sugar level and lipid profile, 79 participants were randomly assigned either to take a placebo or 3g of cinnamon extract powder daily for 4 months. Results from this study suggested that cinnamon may help maintain their blood sugar levels within the normal ranges.⁴⁸

To evaluate whether daily cinnamon supplement intake plus usual care versus usual care alone lowers HbA1c, a randomized-controlled trial was conducted with 109 participants. The cinnamon group received cinnamon capsules, 1g daily for 90 days. Results showed that taking cinnamon is safe and had positive effects on reducing HbA1c in addition to usual care.* Cinnamon supplementation could improve the overall health of populations that need help to maintain a healthy blood sugar level.¹⁹

To determine the positive effects of cinnamon on HbA1c, blood pressure and lipid profiles, a randomized, placebo-controlled, double-blind clinical trial was conducted in 58 participants. For 12 weeks, subjects received either placebo daily or 2g of cinnamon daily. Results from this study showed a significant reduction in fasting plasma glucose, in blood pressure levels, in waist circumference, and in body mass index, in the cinnamon group compared to the placebo group. This study concluded that cinnamon supplementation could be considered as an additional dietary supplement option to help maintain healthy blood sugar levels and improve cardiovascular health.⁴⁹

To evaluate the effects of a daily intake of 3g of cinnamon on blood sugar level status and lipid profile, a randomized, double-blind, placebo-

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

controlled clinical trial was conducted in 44 participants. After 8 weeks, the results showed that in the treatment group, levels of fasting blood glucose, HbA1c, triglyceride, and body fat mass decreased significantly compared to the placebo group suggesting a positive effect of cinnamon supplementation for people in need of keeping their blood sugar levels within the normal range.²¹

A study explored the immediate and long term effects of cinnamon supplementation (treated group) on 18 participants relative to the effects generally obtained from dietary modification (control group). For 8 weeks, the control group took a placebo capsule daily, while the treated group took a 1000 mg *Cinnamomum cassia* capsule daily. Results showed that all subjects from the cinnamon group had a statistically significant decrease in their blood sugar levels compared to those using the dietary modification alone. The study concluded that diet alone cannot reduce blood sugar levels as significantly as a combination of diet and cinnamon supplementation.²⁰

The effect of ground cinnamon (6 g/day) on postprandial blood sugar concentration was evaluated in a cross-over study. Results from this study showed that cinnamon supplementation may play a positive role in postprandial glucose response in normal-weight and obese individuals.⁵⁰

A clinical study evaluated the synergistic effect of green tea, cinnamon and ginger combination on enhancing postprandial blood sugar levels. Twenty-two healthy volunteers from both genders were enrolled. The overall results showed a positive potential synergism from the active ingredients of blended herbs compared with each herb alone.²²

SCIENTIFIC REFERENCES



Science-Based Nutrition™

1. Kawatra P and Rajagopalan R. Cinnamon: Mystic powers of a minute ingredient. *Pharmacognosy Res.* 2015;7:S1-S6.
2. Qin B, Nagasaki M, Ren M et al. Cinnamon extract (traditional herb) potentiates in vivo insulin-regulated glucose utilization via enhancing insulin signaling in rats. *Diabetes Res Clin Practice.* 2003;62:139-148.
3. Dugoua JJ, Seely D, Perri D et al. From type 2 diabetes to antioxidant activity: a systematic review of the safety and efficacy of common and cassia cinnamon bark. *Canadian J Physiol Pharmacol.* 2007;85:837-847.
4. Rafehi H, Ververis K, Karagiannis TC. Controversies surrounding the clinical potential of cinnamon for the management of diabetes. *Diabetes, Obesity and Metabolism.* 2012;14:493-499.
5. Gruenewald J, Freder J, Armbruster N. Cinnamon and Health. *Critical Rev Food Sc Nutr.* 2010;50:822-834.
6. Bandara T, Uluwaduge I, Jansz ER. Bioactivity of cinnamon with special emphasis on diabetes mellitus: A review. *Inter J Food Sci Nutr.* 2012;63:380-386.
7. Bansode V. A review on pharmacological activities of *Cinnamomum cassia* Blume. *Inter J Green Pharmacy.* 2012;6:102-108.
8. Kim SH and Choung SY. Antihyperglycemic and antihyperlipidemic action of *Cinnamomum Cassiae* (Cinnamon Bark) extract in C57BL/Ks db/db mice. *Arch Pharm Res.* 2010;33:325-333.
9. Medagama AB. The glycemic outcomes of Cinnamon, a review of the experimental evidence and clinical trials. *Nutr J.* 2015;14:108.
10. Howard ME, White ND. Potential Benefits of Cinnamon in Type 2 Diabetes. *Am J Lifestyle Med.* 2013;7:23-26.
11. Davis PA, Yokoyama W. Cinnamon Intake Lowers Fasting Blood Glucose: Meta-Analysis. *J Medicinal food.* 2011;14:884-889.
12. Vallianou NG, Evangelopoulos A, Kollas A et al. Hypoglycemic and hypolipidemic effects of cinnamon. *Nutraceuticals Res.* 2014;12:127.
13. Rao PV, Gan SH. Cinnamon: A Multifaceted Medicinal Plant. *Evidence-Based Compl Altern Med.* 2014;2014:1-12.
14. Charles DJ. *Antioxidant Properties of Spices, Herbs and Other Sources.* 1. Aufl.;2013; 1; ed. New York, NY: Springer; 2013;2012;2015.
15. Broadhurst CL, Polansky MM, Anderson RA. Insulin-like biological activity of culinary and medicinal plant aqueous extracts in vitro. *J Agricultural Food Chem.* 2000;48:849-852.
16. Cao H, Graves DJ, Anderson RA. Cinnamon extract regulates glucose transporter and insulin-signaling gene expression in mouse adipocytes. *Phytomed.* 2010;17:1027-1032.
17. Shen Y, Fukushima M, Ito Y, et al. Verification of the Antidiabetic Effects of Cinnamon (*Cinnamomum zeylanicum*) Using Insulin-Uncontrolled Type 1 Diabetic Rats and Cultured Adipocytes. *Biosci Biotechnol Biochem.* 2010;74:2418-2425.
18. Qin B, Dawson HD, Schoene NW et al. Cinnamon polyphenols regulate multiple metabolic pathways involved in insulin signaling and intestinal lipoprotein metabolism of small intestinal enterocytes. *Nutrition.* 2012;28:1172-1179.
19. Crawford P. Effectiveness of cinnamon for lowering hemoglobin A1C in patients with type 2 diabetes: a randomized, controlled trial. *JABFM.* 2009;22:507-512.
20. Hoehn AN, Stockert AL. The Effects of *Cinnamomum cassia* on Blood Glucose Values are Greater than those of Dietary Changes Alone. *Nutr Metabolic Insights.* 2012;2012:77-83.
21. Vafa M, Mohammadi F, Shidfar F et al. Effects of cinnamon consumption on glycemic status, lipid profile and body composition in type 2 diabetic patients. *Int J Prev Med.* 2012;3:531-536.
22. Azzeh FS. Synergistic effect of green tea, cinnamon and ginger combination on enhancing postprandial blood glucose. *PJBS.* 2013;16:74.

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

23. Kirkham S, Akilen R, Sharma S et al. The potential of cinnamon to reduce blood glucose levels in patients with type 2 diabetes and insulin resistance. *Diabetes, Obesity & Metabolism*. 2009;11:1100-1113.
24. Kim Y, Keogh JB, Clifton PM. Polyphenols and glycemic control. *Nutrients*. 2016;8:17.
25. Badalzadeh R, Shaghghi M, Mohammadi M et al. The Effect of Cinnamon Extract and Long-Term Aerobic Training on Heart Function, Biochemical Alterations and Lipid Profile Following Exhaustive Exercise in Male Rats. *Advanced Pharmaceutical Bulletin*. 2014;4:515.
26. Anderson RA. Chromium and polyphenols from cinnamon improve insulin sensitivity. *Proc Nutr Soc*. 2008;67:48-53.
27. Luo Q, Wang SM, Lu Q et al. Identification of compounds from water soluble extract of Cinnamomum cassia barks and their inhibitory effects against high-glucose-induced mesangial cells. *Molecules*. 2013;18:10930-10943.
28. Kang BH, Racicot K, Pilkenton SJ et al. Evaluation of the In vitro Anti-hyperglycemic Effect of Cinnamomum cassia Derived Phenolic Phytochemicals, via Carbohydrate Hydrolyzing Enzyme Inhibition. *Plant Foods for Human Nutr*. 2014;69:155-160.
29. Sahib AS. Anti-diabetic and antioxidant effect of cinnamon in poorly controlled type-2 diabetic Iraqi patients: A randomized, placebo-controlled clinical trial. *J Intercultural Ethnopharmacol*. 2016;5:108.
30. Anderson RA, Zhan Z, Luo R et al. Cinnamon extract lowers glucose, insulin and cholesterol in people with elevated serum glucose. *J Trad Comp Med*. 2015:1-5.
31. Sikand G, Kris-Etherton P, Boulous NM. Impact of Functional Foods on Prevention of Cardiovascular Disease and Diabetes. *Curr Cardiol Reports*. 2015;17:1-16.
32. Jin S, Cho K. Water extracts of cinnamon and clove exhibits potent inhibition of protein glycation and anti-atherosclerotic activity in vitro and in vivo hypolipidemic activity in zebrafish. *Food and Chemical Toxicology*. 2011;49:1521-1529.
33. Preuss HG, Echard B, Polansky MM et al. Whole Cinnamon and Aqueous Extracts Ameliorate Sucrose-Induced Blood Pressure Elevations in Spontaneously Hypertensive Rats. *JACN*. 2006;25:144-150.
34. Sheng X, Zhang Y, Gong Z et al. Improved Insulin Resistance and Lipid Metabolism by Cinnamon Extract through Activation of Peroxisome Proliferator-Activated Receptors. *PPAR Res*. 2008;2008:581348-9.
35. Rahman S, Begum H, Rahman Z et al. Effect of Cinnamon (Cinnamomum cassia) as a Lipid Lowering Agent on Hypercholesterolemic Rats. *J Enam Medical College*. 2013;3:94-98.
36. Akilen R, Pimlott Z, Tsiami A et al. Effect of short-term administration of cinnamon on blood pressure in patients with pre-diabetes and type 2 diabetes. *Nutrition*. 2013;29:1192-1196.
37. Johansen JS, Harris AK, Rychly DJ et al. Oxidative stress and the use of antioxidants in diabetes: linking basic science to clinical practice. *Cardiovascular diabetology*. 2005;4:5-5.
38. Schaffer SW, Jong CJ, Mozaffari M. Role of oxidative stress in diabetes-mediated vascular dysfunction: unifying hypothesis of diabetes revisited. *Vascular Pharmacol*. 2012;57:139.
39. Fiorentino TV, Priolella A, Zuo P et al. Hyperglycemia-induced Oxidative Stress and its Role in Diabetes Mellitus Related Cardiovascular Diseases. *Current Pharmaceutical Design*. 2013;19:5695-5703.
40. Mancini-Filho J, Van-Koijij A, Mancini DA et al. Antioxidant activity of cinnamon (Cinnamomum Zeylanicum, Breyne) extracts. *Bollettino chimico farmaceutico*. 1998;137:443.
41. Moselhy SS, Husein K H Ali. Hepatoprotective effect of cinnamon extracts against carbon tetrachloride induced oxidative stress and liver injury in rats. *Biological Res*. 2009;42:93-98.
42. Anderson RA et al. "Isolation and Characterization of Polyphenol Type-A Polymers from Cinnamon with Insulin-Like Biological Activity." *JAF*. 2004;52: 65-70.
43. Roussel AM, Hininger I, Benaraba R et al. Antioxidant effects of a cinnamon extract in people with impaired fasting glucose that are

overweight or obese. *J Am Coll Nutr*. 2009;28:16-21.

44. Tulini FL, Souza VB, Echalar-Barrientos MA, Thomazini M, Pallone EMJA, Favaro-Trindade CS. Development of solid lipid microparticles loaded with a proanthocyanidin-rich cinnamon extract. *Food Res Int*. 2016;85:10-18.
45. Longe A.O. et al. Effects of cinnamon aqueous extract on blood glucose level, liver biomarker enzymes, hematological and lipid profile parameters in alloxan- induced diabetic male albino rats. *European Scientific journal*. 2015/SPECIAL/edition, vol1 ISSN 1857-7881,418 - 426.
46. Khan A, Safdar M, Muzaffar et al. Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes Care*. 2003;26:3215-3218.
47. Ziegenfuss TN, Hofheins JE, Mendel RW et al. Effects of a water-soluble cinnamon extract on body composition and features of the metabolic syndrome in pre-diabetic men and women. *J Inter Society Sports Nutr*. 2006;3:45-53.
48. Mang B, Wolters M, Schmitt B et al. Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. *Eur J Clin Inv*. 2006;36:340-344.
49. Akilen R, Tsiami A, Devendra D et al. Glycated haemoglobin and blood pressure-lowering effect of cinnamon in multi-ethnic Type 2 diabetic patients in the UK: a randomized, placebo-controlled, double-blind clinical trial. *Diabetic medicine : a journal of the British Diabetic Association*. 2010;27:1159.
50. Magistrelli A, Chezem JC. Effect of ground cinnamon on postprandial blood glucose concentration in normal-weight and obese adults. *J Acad Nutr Dietetics*. 2012;112:1806-1809.



* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.